


CINEROID LED LIGHT



CINEROID LED LIGHT






High-Power HD Light Source
Dimming and fan control function
Changeable light module

Tungsten / Daylight
Wireless control
(option)

Cineroid LED Light

- Digital dimming
- LCD display
- One touch changeable light module
- 1/4inch screw mount
- Remote control(option)

Directivity



LED Light Package contents



LED Light Specification

Common

Size	75x93x43mm	Power input	6~17 V
Light angle	120 degree	Brightness step	120 degree
Fan Mode	Auto/Manual mode	Fan Control	Auto/Manual mode
Mount	1/4" Screw mount	External power	D-tap cable (optional)
Weight	189g (Without Battery)		
Display info.	Brightness, Fan speed, Channel, Error warning		

L2 5000K Lamp

Photometric	380 Lux / 1m	Color Temp	5400°K
Power drain	18.4W at 2555mA(7.2V)		

L2 3000K Lamp

Photometric	325 Lux / 1m	Color Temp	3000°K
-------------	--------------	------------	--------

L2C-5K

Daylight

5K lamp
Main body
Honey comb
Battery holder
Battery charger
Battery

L2C-3K

Tungsten

3K lamp
Main body
Honey comb
Battery holder
Battery charger
Battery

L2C-3K5K

Tungsten + Daylight

3K, 5K lamps
Main body
Honey comb
Battery holder
Battery charger
Battery